

# Smarter Asset Tracking with Tag iQ

Get everything trackable, secure, and recoverable with Tag iQ.

Tag iQ asset tracker is ideal for monitoring moveable equipment, high-value assets, and trailers. It features Bluetooth 5.2 connectivity, IP67 and IP68-rated, and extended battery life. Get real-time location visibility, improved equipment utilisation, and streamlined asset management.



**Tag iQ Card**  
Credit-card sized.  
Slides into seat  
pockets or equipment  
compartments.



**Industrial Tag iQ**  
Attaches directly to  
assets, machinery, or  
vehicle undercarriages.

## 2.5+ years Battery Life

Deploy and forget. No daily charging needed. Your App will let you see when it's time to order a new batch.

## iOS & Android Network

The market's only asset tracker that is powered by the iOS and Android networks.

## Live Location Tracking

Get real-time location updates so you can always see where assets and equipment are.

## Why Tag iQ?

**Protect your powered and non-powered assets** - See exactly where your assets are, in real-time. Use geofencing to get alerts when assets move outside zones.

**Small and discreet** - Tag iQ can be discreetly hidden or attached to larger equipment or machinery.

**Improve asset management** - Reduce downtime spent searching for equipment across sites and reduce human error in asset management by knowing where everything is at all times.

**Secondary asset tracking** - Protect your assets with Tag iQ as a hidden backup tracker. Discreetly place under seats or in undercarriages to safeguard against tampering and ensure continuous visibility.

**Get complete journey history** - Get a full breakdown of your assets' journeys and previous locations. See where trailers and equipment have been and how long they were there.

## TECHNICAL DATASHEET - TAG IQ CARD

### Connectivity

<b>Wireless Technology</b>	Bluetooth 5.2
<b>Antenna</b>	Onboard antenna
<b>Connection Range</b>	10–20 metres indoors; 20–50 metres outdoors
<b>Chip Supplier</b>	Nordic

### Design and size

<b>Dimensions</b>	52mm (L) x 47mm (W) x 1.1mm (H)
<b>Waterproof Level</b>	IP67 (with support for corresponding waterproof level per structural design requirements)
<b>Working Environment</b>	-20°C to ~50°C

### Power and battery

<b>Battery Model</b>	Lithium battery
<b>Standby Time</b>	2.5–3 years
<b>Power Display</b>	Yes

## TECHNICAL DATASHEET - TAG IQ INDUSTRIAL

### Connectivity

<b>Wireless Technology</b>	Bluetooth 5.2
<b>Antenna</b>	Onboard antenna
<b>Connection Range</b>	10–20 metres indoors; 20–50 metres outdoors
<b>Chip Supplier</b>	Nordic

### Design and size

<b>Dimensions</b>	30mm (L) x 14mm (H)
<b>Waterproof Level</b>	IP68 (with support for corresponding waterproof level per structural design requirements)
<b>Working Environment</b>	-20°C to ~50°C

### Power and battery

<b>Battery Model</b>	Lithium battery
<b>Standby Time</b>	2.5–3 years